

PRODUCTION APPROVAL LISTING - SUPPLEMENT NO. 1

FEDERAL AVIATION ADMINISTRATION - PARTS MANUFACTURE APPROVAL

Whelen Engineering Company, Incorporated
SA615EA

<u>Part Name and Number</u>	<u>Design Data and Approval Means</u>	<u>Eligible On</u>
Anti-Collision Strobe Light System. Model HD, HR or HS (14 or 28 Volt)	Whelen "Engineering & Assembly Drawings for Model H Series Aviation & Anti-Collision Strobe Light System" dated 4/20/70. STC SA615EA Amended 11/7/72	Aero Commander *100, 100-180, 111, 112, 500, 500-A, 500-B, 500-S, 500-U, 520, 560, 560-A, 560-E, 560-F, 680, 680-E, -F, 720, 680FL, 680FL(P), 680T, V, W, 681, 690, 685 American Aviation *AA-1, *AA-1A, AA-5 Beech 23, A23, A23A, A23-19, -24, 19A, B19, M19A, B23, C23, A24, A24R, 35, A35, B35, C35, D35, E35, F35, G35, 35R, H35, J35, K35, M35, N35, P35, S35, V35, V35A, V35B, 35-33, 35-A33, 35-B33, 35-C33, 35-C33A, 36, A36, E33, E33A, E33C, F33, F33A, F33C, 50(1-23A), B50(L-23B), C50, D50(L-23E), D50A, D50B, D50C, D50E, E50 (L-23D, RL-230), F50, G50, H50, J50, 95-55, 95-A55, 95-B55, (T42A), 95-B55D, 95-C55, 95, B95, B95A, D95A, E95, D55, D55A, E55, E55A, 56TC, A56TC, 58, 65(L23F), A65, A65-8200, 65-80, 65-A80, 65-A80-8800, 65-B80, 65-88, B90, C90, 65-90, 65-A90, 65-A90-1 (U-21A, RU-21A, RU-21D), 65-A90-2 (RU-21B), 65-A90-3 (RU-21C),

Part Name
and Number

Anti-Collision Strobe
Light System. Model
ED, ER or ES (14 or
28 Volt)

Design Data and
Approval Means

Whelen "Engineering &
Assembly Drawings for
Model H Series Aviation
& Anti-Collision Strobe
Light System" dated
4/20/70. STC SA615EA
Amended 11/7/72

Eligible On

Beech 70, 60, A60,
99, 99A, 100

Bellanca 14-19-3A,
17-30, 17-30A, 17-31A,
17-31ATC, 7EC, 7ECA,
7FC, 7GC, 7GCA, 7GCA,
7GCB, 7GCB, 7GCBC,
7HC, 7JC, 7KCB

Bell ***206A, 206B,
47B, B3, D, DL, E, G,
G-2, H-1, 47G-2A,
-2A-1, -3, -3B, -3B-1
-3B-27, -4, -4A, -5,
-5A, 47J, K, J-2, J-2

Britten Norman BN-2,
-2A, -2A-2, -2A-6,
-2A-8, BN-2A, MK. III

Cessna 150, 150A, B,
C, D, E, F, G, H, J,
K, L, A150K, A150L,
172, 172A, B, C, D,
E, F, G, H, I, K, L,
M, 175, 175A, B, C,
P172D, 177, 177A, B,
177RG, 180, 180A, B,
C, D, E, F, G, H, 182,
182A, B, C, D, E, F,
G, H, J, K, L, M, N,
P, 185, 185A, B, C,
D, E, A185E, 188,
188A, B, A188, A188A,
A188B, 206, P206, P206,
B, C, D, E, TU206A,
B, C, D, E, F, TP206,
B, C, D, E, U206, U206,
B, C, D, E, F, 207,
207A, T207, T207A, 210,
210A, 210B, 210C, 210D,
210E, 210F, T-210F,
210G, T-210G, 210H,
T-210H, 210J, T210J,
210K, (205) 210-5,
(205A) 210-5A, T210K,
210L, T210L, 310, 310,
B, C, D, E, F, G, H,
I, J, 310J-1, E310J,
310K, L, N, P, T310F,
310G, T310G, *320, A

Part Name
and NumberDesign Data and
Approval MeansEligible On

Anti-Collision Strobe
Light System. Model
ND, NR or HS (14 or
28 volt)

Whelen "Engineering &
Assembly Drawings for
Model H Series Aviation
& Anti-Collision Strobe
Light System" dated
4/20/70. STC SA615EA
Amended 11/7/72

B, C, D, E, 320F, 320
340, *336, 337, 337A,
B, C, D, E, F, T337D,
E, F, G, *401, 401A,
B, 402, 402A; B, 411,
411A, 421, 421A, 414,
421B

DeHavilland of Canada
DHC-2 MK. I, MK. II,
MK. III, DEC-3, DEC-6
Models 1, 100, 110,
200, 210, 300

Fairchild Hiller
FH-1100.

Helio H250, H-295,
H-391, H-391B, H-395,
H-395A.

Hughes 269A, 269A-1,
269B, 269C, 369, A,
E, HM, HS, HE.

Piper **PA-11, **PA-1
**PA-14, **PA-15,
**PA-16, **PA-17,
**PA-18 Series, PA-19
**PA-20, **PA-22 Seri
**PA-25 Series, PA-23
PA-23-160, *PA-23-235
*PA-23-250, *PA-E23-2
PA-24, -24-250, -24-2
-24-400, PA-28-140,
PA-28-150, PA-28-160,
PA-28-S-180, PA-28R-1
PA-28-180, PA-28-235,
PA-28-S-160, PA-28R-2
PA-30, PA-39, PA-31,
PA-31-300, PA-31F,
PA-32-260, -300, -328